

Corn & Soybean News

February 2021 Volume 3 Issue 1

Considerations for Soybean Planting in Kentucky



Figure 1. Soybean seedlings at VE (emergence) growth stage.

In general, to maximize the chances of successful soybean establishment and the best chances for maximum yield, conditions at planting and following should be:

- Soil temperatures to be and remain at 50°F or greater
- Low risk for killing freeze from the soybean 'crook' stage to VC (vegetative cotyledon) stage



Additional considerations when soybean are planted into soils that are less than about 60°F:


- Know the vigor of each seed lot
 - Several laboratories offer such testing including University of Kentucky's Regulatory Services (<u>http://www.rs.uky.edu/regulatory/seed/service/TestDescriptions.php</u>)
 - Seed planted into cool conditions MUST have a high vigor or there could be problems with stand establishment
 - Never use a seed lot with "low" vigor when soils are and will remain between about 50 and 60°F
- Use seed treatments
- Plant about 1.5 to 2" deep (but never more than 2")
- Increase seeding rate to off-set additional stand losses that can occur
 - ° Limited research has shown up to about 25% stand loss with early planting dates
- If the field has a history of Sudden Death Syndrome (caused by *Fusarium virguliforme*)
 - ° Select a resistant soybean variety
 - ° Utilize seed treatment known to be effective at controlling SDS
 - ° But do not delay planting
- Inoculate seed with *Bradyrhizobium japonicum* if the field
 - ° was saturated for extended periods of time within the past year
 - ° has a history of poor nodulation
 - $^\circ$ $\,$ has not grown soybean within the last three to five years




Figure 2. Image depicting the 'crook' growth stage (second from left). Source: <u>https://</u><u>www.ag.ndsu.edu/crops/dry-bean-articles/stages-of-development</u>.

Figure 1. Plant description.

- 1. Hypocotyl
- 2. Radicle
- 3. Cotyledon (simple leaf)
- 4. Cotyledonary node
- 5. Tap root
- 6. Lateral (branch) root
- 7. First true leaf (unifoliolate)
- 8. Trifoliolate leaflet
- 9. Terminal bud
- 10. Axillary buds
- 11. Hypocotyl arch
- 12. Nodes (point of leaf attachment)
- 13. Nodules
- 14. Root hairs







Dr. Carrie Knott Grain Crops Extension Specialist, Princeton (270) 365-7541 - Ext. 21320 Carrie.Knott@uky.edu



Kentucky Irrigation Workshop February 18, 2021 9-11am (cst)

TOPICS

Crop Water Demands & When to Irrigate Dr. Montse Salmeron

How Soil Dynamics & Variability Determine When to Irrigate Dr. Ole Wendroth

When the Kentucky Climate Makes Irrigation Most Likely Matt Dixon

How Irrigation Affects Corn Canopy Temperature Dr. Carrie Knott

Adjusting Crop Management Options with Irrigation Dr. Chad Lee

Pre-registration required:

https://uky.zoom.us/meeting/register/tZMtde-ppjkoGdZk5aEnG7awvj9ROmXTa3gj

Or go to: <u>https://www.kygrains.info/events</u> and click on "Virtual Irrigation Workshop"

COLLEGE OF AGRICULTURE, FOOD AND ENVIRONMENT Grain and Forage Center of Excellence

University of Kentucky

Cooperative Extension Service Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development Community and Economic Development Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, vetran status, or physical or mental disability. University of Kentucky, Kentucky State University, U.S. Department of Agriculture, and Kentucky Counties, Cooperating. LEXINGTON, KY 40546





COLLEGE OF AGRICULTURE, FOOD AND ENVIRONMENT Grain and Forage Center of Excellence



MO-KY Soybean Cyst Nematode Webinar Series

Soybean cyst nematode (SCN) is the most damaging pathogen of soybean in Kentucky and across the U.S. This pathogen can cause yield losses even though no above-ground symptoms may be apparent.

A three-part webinar series conducted by Dr. Kaitlyn Bissonnette (University of Missouri) and Dr. Carl Bradley (University of Kentucky) is coming in February. Each webinar will last 1 hour and will start at 12:00 PM CST. Continuing education units will be available for Certified Crop Advisers and Kentucky Pesticide Applicators.

Registration for each webinar is required.



Photo by Carl Bradley, UK extension plant pathologist

Below is the title of each webinar, along with the link to register for each individual webinar:

Part 1 – February 11, 2021 (12:00-1:00 PM CST)

Soybean Cyst Nematode Basics and Distribution Register for Part 1 at: <u>https://zoom.us/webinar/register/WN_mfHUvAkwSHCts2X5AFBU8w</u>

Part 2 – February 18, 2021 (12:00-1:00 PM CST)

Soybean Cyst Nematode Management: Variety Resistance and Crop Rotation Register for Part 2 at: <u>https://zoom.us/webinar/register/WN_3uoRUzAeQcOHqxCbWmXtow</u>

Part 3 – February 25, 2021 (12:00-1:00 PM CST)

Soybean Cyst Nematode Management: Seed Treatments and Sampling Register for Part 3 at: <u>https://zoom.us/webinar/register/WN_A2tRdecwSV2g1hdDsz1t6A</u>



2021 IPM Training School Virtual Meeting March 10, 2021 Program

Field Crops Session- Morning

8:15	Welcome- Dr. Ric Bessin	
8:30	Management of important foliar soybean diseases in Kentucky	
	Dr. Carl Bradley, University of Kentucky	
9:00	Studies on three beetle pests in Soybeans	
	Dr. Raul Villanueva, University of Kentucky	
9:30	Break	
9:45	Phosphorus fertility for row crop production	
	Dr. Edwin Ritchey, University of Kentucky	
10:15	Tackling herbicide resistant weeds now and into the future	
	Dr. Travis Legleiter, University of Kentucky	
10:45	Soybean Production Update	
	Dr. Carrie Knot, University of Kentucky	

Horticulture Session-Afternoon

1:00	5 simple steps for reducing nursery weed control costs
	Dr. Chris Marble, University of Florida
1:30	Fungicides 2021: Resistance and rainfastness
	Dr. Nicole Gauthier, University of Kentucky
2:00	Teaming up with the good bugs
	Dr. Jonathan Larson, University of Kentucky
2:30	Break
2:45	Wildlife damage control in fruit and vegetable production systems
	Dr. Matthew Springer, University of Kentucky
3:15	Water management: Irrigation management, monitoring, efficiencies
	Dr. Win Dunwell, University of Kentucky

CEUs

Pesticide Applicator: 4 CEUs in specific categories (1A, 10 and 12); Certified Crop Adviser: Integrated Pest Management: 4; Soil and Water Management: 0.5; Nutrient Management: 0.5

Online pre-registration: https://uky.zoom.us/meeting/register/tZctc-yqqTMsH9ABPo_ac25xGS7IUZAJkL_p



Contacts: Zenaida Viloria, zenaida.viloria@uky.edu, Phone: 859-562-1336 Ric Bessin, rbessin@email.uky.edu, Phone: 859-257-745





Useful Resources







<u>Crops Marketing and</u>

Management Update





Upcoming Events

<u>Date</u>	<u>Event</u>
2/18/2021	Kentucky Irrigation Workshop
2/18/2021	Soybean Cyst Nematode Management: Variety Resistance & Crop Rotation
2/25/2021	Soybean Cyst Nematode Management: Seed Treatments & Sampling
3/10/2021	IPM Training School
5/11/2021	2021 Wheat Field Day

lac D. hee

Chad Lee, Extension Grain Crops Specialist

Carrie Knott, Extension Grain Crops Specialist

Cooperative Extension Service Agriculture and Natural Resources

Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development Community and Economic Development Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, veteran status, or physical or mental disability. University of Kentucky, Kentucky State University, U.S. Department of Agriculture, and Kentucky Counties, Cooperating. **LEXINGTON, KY 40546**



